

Waterbody Name: <b>Pokegama</b>	Target Fish:	Number of Nets:
MWB Code/WBIC: <b>2094300</b>	Mark(s) Given: <b>RV</b>	Net Nights: <b>47</b>
Waterbody Type:	Survey Type: <b>Population Estimate</b>	Net Frame Height: <b>4' x 6'</b>
County: <b>Barron</b>	Gear Type: <b>Fyke Net</b>	Net Frame Width:
Date: <b>04/18-24/01</b>	Weather:	Lead Length: <b>50' - 75'</b>
Station:	Adverse Conditions:	Largest Bar Mesh Size: <b>1/2</b>
Start Time:	Water Temperature: <b>42-43°</b>	Smallest Bar Mesh Size:
End Time:	Water Level: <b>Normal</b>	Mesh Color: <b>White</b>
Collectors: <b>Lund &amp; Cornelius</b>	Water Clarity: <b>clear</b>	Mesh Material: <b>Nylon</b>

Inches	LM BASS		SM BASS		UNKNOWN		Inches	MALE		FEMALE		UNKNOWN	
	Unclip	Clip	Unclip	Clip	Unclip	Clip		Unclip	Clip	Unclip	Clip	Unclip	Clip
<3.0							25.5 - 25.9						
3.0 - 3.4							26.0 - 26.4						
3.5 - 3.9							26.5 - 26.9						
4.0 - 4.4							27.0 - 27.4						
4.5 - 4.9							27.5 - 27.9						
5.0 - 5.4							28.0 - 28.4						
5.5 - 5.9							28.5 - 28.9						
6.0 - 6.4	1						29.0 - 29.4						
6.5 - 6.9							29.5 - 29.9						
7.0 - 7.4	1						30.0 - 30.4						
7.5 - 7.9							30.5 - 30.9						
8.0 - 8.4							31.0 - 31.4						
8.5 - 8.9							31.5 - 31.9						
9.0 - 9.4	3						32.0 - 32.4						
9.5 - 9.9	2						32.5 - 32.9						
10.0 - 10.4	12						33.0 - 33.4						
10.5 - 10.9	2						33.5 - 33.9						
11.0 - 11.4	5						34.0 - 34.4						
11.5 - 11.9	3						34.5 - 34.9						
12.0 - 12.4	2						35.0 - 35.4						
12.5 - 12.9	5						35.5 - 35.9						
13.0 - 13.4	8						36.0 - 36.4						
13.5 - 13.9	7						36.5 - 36.9						
14.0 - 14.4	13	1					37.0 - 37.4						
14.5 - 14.9	7						37.5 - 37.9						
15.0 - 15.4	13						38.0 - 38.4						
15.5 - 15.9	3						38.5 - 38.9						
16.0 - 16.4	2						39.0 - 39.4						
16.5 - 16.9	2						39.5 - 39.9						
17.0 - 17.4	2						40.0 - 40.4						
17.5 - 17.9	1						40.5 - 40.9						
18.0 - 18.4	1						41.0 - 41.4						
18.5 - 18.9							41.5 - 41.9						
19.0 - 19.4							42.0 - 42.4						
19.5 - 19.9							42.5 - 42.9						
20.0 - 20.4							43.0 - 43.4						
20.5 - 20.9							43.5 - 43.9						
21.0 - 21.4	1						44.0 - 44.4						
21.5 - 21.9							44.5 - 44.9						
22.0 - 22.4							45.0 - 45.4						
22.5 - 22.9							45.5 - 45.9						
23.0 - 23.4							46.0 - 46.9						
23.5 - 23.9							47.0 - 47.9						
24.0 - 24.4							48.0 - 48.9						
24.5 - 24.9							49.0 - 49.9						
25.0 - 25.4							50+						
<b>TOTALS</b>	<b>96</b>	<b>1</b>											

SPECIES: **LARGEMOUTH & SMALLMOUTH BASS**

PANFISH FYKE NETTING DATA COLLECTION SHEET

MARKING SUMMARY

Wisconsin Department of Natural Resources

Waterbody Name: <b>Pokegama</b>	Target Fish: <b>Panfish</b>	Number of Nets:
MWB Code/WBIC: <b>2094300</b>	Mark(s) Given: <b>RV</b>	Number of Net Nights: <b>47</b>
Waterbody Type:	Survey Type:	Net Frame Height: <b>4' x 6'</b>
County: <b>Barron</b>	Gear Type: <b>Fyke Net</b>	Net Frame Width:
Date: <b>04/18-24/01</b>	Weather:	Lead Length: <b>60' - 75'</b>
Station:	Adverse Conditions:	Largest Bar Mesh Size: <b>½</b>
Start Time:	Water Temperature: <b>42-43°</b>	Smallest Bar Mesh Size:
End Time:	Water Level: <b>Normal</b>	Mesh Color: <b>white</b>
Collectors: <b>Lund, Cornelius</b>	Water Clarity: <b>clear</b>	Mesh Material: <b>nylon</b>

Inches	Y. Perch	B. Crappie	
0.1-1.9			
2.0			
2.1			
2.2			
2.3			
2.4			
2.5			
2.6			
2.7			
2.8			
2.9			
3.0			
3.1			
3.2			
3.3			
3.4			
3.5			
3.6			
3.7			
3.8			
3.9			
4.0	1		
4.1			
4.2	1		
4.3	1		
4.4	2		
4.5	1		
4.6	1		
4.7			
4.8			
4.9			
5.0	1		
5.1			
5.2			
5.3	2		
5.4			
5.5	1		
5.6	1		
5.7	1		
5.8			
5.9	2		
6.0			
6.1	3		
6.2	5		
6.3	1		
6.4	2		
6.5	2		
6.6	4		
6.7	3		
6.8	7		
6.9	2		
7.0			
7.1			
7.2	8	1	
7.3	3	1	
7.4	2	1	
7.5	3		
7.6	2	1	
7.7	2		
7.8	3		
7.9	1		
<b>TOTALS</b>	<b>84</b>	<b>130</b>	

Inches	Y. Perch	B. Crappie	
8.0	2		
8.1	1		
8.2	3	1	
8.3	1	1	
8.4	1		
8.5	1	3	
8.6		1	
8.7		2	
8.8		4	
8.9		4	
9.0	1	4	
9.1		2	
9.2		9	
9.3	1	15	
9.4	1	11	
9.5	1	9	
9.6		13	
9.7		9	
9.8	1	11	
9.9		9	
10.0		3	
10.1		3	
10.2		4	
10.3	1	2	
10.4		2	
10.5			
10.6		2	
10.7			
10.8			
10.9	1		
11.0			
11.1			
11.2			
11.3			
11.4			
11.5			
11.6			
11.7			
11.8			
11.9			
12.0			
12.1			
12.2			
12.3			
12.4			
12.5			
12.6			
12.7			
12.8			
12.9			
13.0			
13.1			
13.2			
13.3			
13.4			
13.5			
13.6			
13.7			
13.8			
13.9			
14.0+			
<b>PANFISH</b>			

County <b>Barron</b>	Waters <b>Pokegama Lake</b>
Sampling Objective <b>1<sup>st</sup> Recapture</b>	Number and Location of Stations (Habitat)
Period Fished (Dates) <b>4/26/01</b>	

<b>GEAR</b>				
Boomshocker (Hours) <b>2.82</b>			Time <u>  X  </u> Night <u>      </u> Day	
Visual Hours	Time of Day	Haul Seine (Length)	Mesh	Area Covered
Angling (Hours)	Time of Day	Trap Net (No. of Net Lifts)	Mesh	Depth
Minnow Seine (No. Hauls)	Area Covered	Gill Net (No. of Feet x Lifts)	Mesh Size	Depth
Other (Hours or Lifts)			Characteristics	

FISHING RESULTS				
SPECIES	NO.	MODAL SIZE(S)	SIZE RANGE	CATCH/UNIT
Walleye	93		6.5 - 28.4	33/hour
Northern Pike	7		21.0 - 36.4	3/hour
Largemouth Bass	123		8.5 - 18.9	44/hour
Smallmouth Bass	17		11.5 - 18.4	6/hour

Observations

Signed (Compiler) <b>R. Cornelius</b>	Date <b>11/30/01</b>
--	-------------------------

1<sup>st</sup> Recap Summary

Waterbody Name: <b>Pokegama</b>	Target Fish: <b>Walleye</b>	Generator Start Time:
MVB Code/WBIC: <b>2094300</b>	Mark(s) Given:	Generator End Time: <b>2.82 hours</b>
Waterbody Type:	Survey Type: <b>Population Estimate</b>	Volts: <b>425</b>
County: <b>Barron</b>	Gear Type: <b>Boomshocker</b>	Amps: <b>3</b>
Date: <b>04/26/01</b>	Weather:	Pulse Rate:
Station:	Adverse Conditions:	Duty Cycle:
Start Time:	Water Temperature: <b>63-65°</b>	Current Type: <b>AC</b>
End Time:	Water Level: <b>Normal</b>	Distance Shocked: <b>11.3 miles</b>
Collectors: <b>Lund, Gauger</b>	Water Clarity: <b>clear</b>	Entire Shoreline Shocked: <b>yes</b>
	Number of Dippers: <b>2</b>	Dipnet Mesh Size: <b>3/8"</b>

Inches	MALE		Inches	FEMALE		Inches	UNKNOWN	
	Unclipped	Clipped		Unclipped	Clipped		Unclipped	Clipped
<4.0			<4.0			<4.0		
4.0 - 4.4			4.0 - 4.4			4.0 - 4.4		
4.5 - 4.9			4.5 - 4.9			4.5 - 4.9		
5.0 - 5.4			5.0 - 5.4			5.0 - 5.4		
5.5 - 5.9			5.5 - 5.9			5.5 - 5.9		
6.0 - 6.4			6.0 - 6.4			6.0 - 6.4		
6.5 - 6.9			6.5 - 6.9			6.5 - 6.9	2	
7.0 - 7.4			7.0 - 7.4			7.0 - 7.4	17	
7.5 - 7.9			7.5 - 7.9			7.5 - 7.9	17	
8.0 - 8.4			8.0 - 8.4			8.0 - 8.4	2	
8.5 - 8.9			8.5 - 8.9			8.5 - 8.9	1	
9.0 - 9.4			9.0 - 9.4			9.0 - 9.4		
9.5 - 9.9			9.5 - 9.9			9.5 - 9.9		
10.0 - 10.4			10.0 - 10.4			10.0 - 10.4		
10.5 - 10.9			10.5 - 10.9			10.5 - 10.9		
11.0 - 11.4			11.0 - 11.4			11.0 - 11.4		
11.5 - 11.9			11.5 - 11.9			11.5 - 11.9		
12.0 - 12.4			12.0 - 12.4			12.0 - 12.4		
12.5 - 12.9			12.5 - 12.9			12.5 - 12.9		
13.0 - 13.4			13.0 - 13.4			13.0 - 13.4		
13.5 - 13.9			13.5 - 13.9			13.5 - 13.9		
14.0 - 14.4			14.0 - 14.4			14.0 - 14.4	1	
14.5 - 14.9		1	14.5 - 14.9			14.5 - 14.9	1	
15.0 - 15.4	5	1	15.0 - 15.4			15.0 - 15.4	2	
15.5 - 15.9	3	1	15.5 - 15.9			15.5 - 15.9	4	
16.0 - 16.4	4		16.0 - 16.4		1	16.0 - 16.4	2	1
16.5 - 16.9	3		16.5 - 16.9	2		16.5 - 16.9	4	1
17.0 - 17.4			17.0 - 17.4			17.0 - 17.4	1	2
17.5 - 17.9			17.5 - 17.9	1		17.5 - 17.9		
18.0 - 18.4	1		18.0 - 18.4	1		18.0 - 18.4		
18.5 - 18.9			18.5 - 18.9	1		18.5 - 18.9		1
19.0 - 19.4			19.0 - 19.4			19.0 - 19.4		
19.5 - 19.9			19.5 - 19.9			19.5 - 19.9	1	
20.0 - 20.4			20.0 - 20.4			20.0 - 20.4		
20.5 - 20.9			20.5 - 20.9			20.5 - 20.9		
21.0 - 21.4			21.0 - 21.4			21.0 - 21.4	1	
21.5 - 21.9			21.5 - 21.9			21.5 - 21.9		
22.0 - 22.4			22.0 - 22.4			22.0 - 22.4		
22.5 - 22.9			22.5 - 22.9	1		22.5 - 22.9		
23.0 - 23.4			23.0 - 23.4	1		23.0 - 23.4	1	
23.5 - 23.9			23.5 - 23.9			23.5 - 23.9	1	
24.0 - 24.4			24.0 - 24.4		1	24.0 - 24.4	1	
24.5 - 24.9			24.5 - 24.9			24.5 - 24.9		
25.0 - 25.4			25.0 - 25.4			25.0 - 25.4		
25.5 - 25.9			25.5 - 25.9			25.5 - 25.9		
26.0 - 26.4			26.0 - 26.4			26.0 - 26.4		
26.5 - 26.9			26.5 - 26.9			26.5 - 26.9		
27.0 - 27.4			27.0 - 27.4			27.0 - 27.4		
27.5 - 27.9			27.5 - 27.9			27.5 - 27.9		
28.0 - 28.4			28.0 - 28.4	1		28.0 - 28.4		
28.5 - 28.9			28.5 - 28.9			28.5 - 28.9		
29.0 - 29.4			29.0 - 29.4			29.0 - 29.4		
29.5 - 29.9			29.5 - 29.9			29.5 - 29.9		
30.0+			30.0+			30.0+		
<b>TOTALS</b>	<b>16</b>	<b>3</b>	<b>TOTALS</b>	<b>8</b>	<b>2</b>	<b>TOTALS</b>	<b>59</b>	<b>5</b>

Waterbody Name: <b>Pokegama</b>	Target Fish:	Generator Start Time:
MWB Code/WBIC: <b>2094300</b>	Mark(s) Given:	Generator End Time: <b>2.82 hours</b>
Waterbody Type:	Survey Type: <b>Population Estimate</b>	Volts: <b>425</b>
County: <b>Barron</b>	Gear Type: <b>Boomshocker</b>	Amps: <b>3</b>
Date: <b>04/26/01</b>	Weather:	Pulse Rate:
Station:	Adverse Conditions:	Duty Cycle:
Start Time:	Water Temperature: <b>53-55°</b>	Current Type: <b>AC</b>
End Time:	Water Level: <b>Normal</b>	Distance Shocked: <b>11.3 miles</b>
Collectors: <b>Lund, Gauger</b>	Water Clarity: <b>clear</b>	Entire Shoreline Shocked: <b>Yes</b>
	Number of Dippers: <b>2</b>	Dipnet Mesh Size: <b>3/8"</b>

Inches	MALE		FEMALE		UNKNOWN		Inches	MALE		FEMALE		UNKNOWN	
	Unclip	Clip	Unclip	Clip	Unclip	Clip		Unclip	Clip	Unclip	Clip	Unclip	Clip
<3.0							25.5 - 25.9					1	
3.0 - 3.4							26.0 - 26.4						
3.5 - 3.9							26.5 - 26.9						
4.0 - 4.4							27.0 - 27.4					1	
4.5 - 4.9							27.5 - 27.9						
5.0 - 5.4							28.0 - 28.4						
5.5 - 5.9							28.5 - 28.9			1			
6.0 - 6.4							29.0 - 29.4						
6.5 - 6.9							29.5 - 29.9						
7.0 - 7.4							30.0 - 30.4						
7.5 - 7.9							30.5 - 30.9						
8.0 - 8.4							31.0 - 31.4						
8.5 - 8.9							31.5 - 31.9						
9.0 - 9.4							32.0 - 32.4						
9.5 - 9.9							32.5 - 32.9						
10.0 - 10.4							33.0 - 33.4						
10.5 - 10.9							33.5 - 33.9						
11.0 - 11.4							34.0 - 34.4						
11.5 - 11.9							34.5 - 34.9						
12.0 - 12.4							35.0 - 35.4						
12.5 - 12.9							35.5 - 35.9						
13.0 - 13.4							36.0 - 36.4			1			
13.5 - 13.9							36.5 - 36.9						
14.0 - 14.4							37.0 - 37.4						
14.5 - 14.9							37.5 - 37.9						
15.0 - 15.4							38.0 - 38.4						
15.5 - 15.9							38.5 - 38.9						
16.0 - 16.4							39.0 - 39.4						
16.5 - 16.9							39.5 - 39.9						
17.0 - 17.4							40.0 - 40.4						
17.5 - 17.9							40.5 - 40.9						
18.0 - 18.4							41.0 - 41.4						
18.5 - 18.9							41.5 - 41.9						
19.0 - 19.4							42.0 - 42.4						
19.5 - 19.9							42.5 - 42.9						
20.0 - 20.4							43.0 - 43.4						
20.5 - 20.9							43.5 - 43.9						
21.0 - 21.4	1						44.0 - 44.4						
21.5 - 21.9							44.5 - 44.9						
22.0 - 22.4							45.0 - 45.4						
22.5 - 22.9							45.5 - 45.9						
23.0 - 23.4							46.0 - 46.9						
23.5 - 23.9	1						47.0 - 47.9						
24.0 - 24.4							48.0 - 48.9						
24.5 - 24.9	1						49.0 - 49.9						
25.0 - 25.4							50+						
<b>TOTALS</b>	<b>3</b>		<b>2</b>		<b>2</b>								